



Biometric Face recognition digital door lock with M1 card

Features:

- 1: Aluminum and 304 stainless steel materials, one piece panel design, sturdy and durable
High identification face recognition speed
- 2: Voice prompt, convenient
- 3: High security, can replace the common HF mortise, no need to drill hole
- 4: Supper B level 360°idle blade cylinder, five star security
- 5: Face + RFID/M1 + Password + Mechanical key, four combination open ways, high security, Low battery warning.

Specification:

1	Panel	Aluminium magnesium alloy
2	Handle	304 Stainless Steel
3	Colors	Silver/Golden/Red Bronze/Wooden Heart Mix
4	Surface treatment	PVD/drawing
5	Mortise/cylinder	ANSI or EU standard or fire-proof mortise
6	Mortise center distance	60*68mm or 55*72mm
7	Face capacity	50 users
8	Card type and quantity	Mifare 50pcs
9	Verify mode	Face + RFID/M1 +Password + Mechanical key
10	Door thickness	38mm-80mm available
11	Power supply	4 or 8 pcs AA batteries
12	Working temperature	-10℃ ~ 60℃
13	Working humidity	0%-95%
14	Weight	4.5kgs
15	Package	46*14*34cm

System:

1. English language
2. Can distinguish twins
3. Can distinguish the real face from the picture in live video streaming.



